



# INDEX MAPS.

## T.30N, R.13E.2<sup>nd</sup> Mer.



## T.31N, R.13E.2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

T31 N R13 E, 2<sup>d</sup> Mer. Indiana

(Omitted lines)

South Boundary. March 17, 1824

\* East On Rand<sup>m</sup>. South boundary Sec. 31

- 1.55 a W. Oak 12 in. diam.  
 18.90 a Branch 3 lks. wide Course S. into Swamp  
 33.67 a W. Oak 36 in. diam.  
 40.00 Set temp<sup>y</sup> q<sup>r</sup>. Sec. post  
 53.40 a Branch 8 lks. Course S.W.  
 80.00 Set temp<sup>y</sup>. Cor. to Sec<sup>s</sup>. 31 & 32. First 1/2 mile land  
 wet, Elm, Maple, Oak &c. last 1/2 Oak inclining to  
 barren, Spruce &c. land 2<sup>d</sup> rate

East On S. boundary of Sec. 32

- 10.90 a Branch 3 lks. wide Course S.  
 15.94 a W. Oak 15 in. diam.  
 40.00 Set temp<sup>y</sup> q<sup>r</sup>. Sec. post  
 70.55 Intersected line between Sec<sup>s</sup>. 4 & 5 T31 N. R13 E &  
 Cor. of Sec<sup>s</sup>. 32 & 33, T31 N. R13 E, from which  
 a W. Oak 24 in. diam. bears N46°W 45 lks. dist. of  
 a Beech 24 " " " N60°E 56 " "  
 First 1/2 mile Open Oak land 2<sup>d</sup> rate - last 1/2 mile  
 timber Oak, Hickory underg<sup>d</sup>. Hazel &c 2<sup>d</sup> rate

West On S. boundary of Sec. 32 Corrected line

- 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a W. Oak 30 in. diam. bears S76°E 23 lks. dist. of  
 a Do. 36 " " " N36°W 57 " "  
 42.82 a W. Oak 20 " "  
 54.42 a Do. 15 " "  
 80.00 Set post Cor. to Sec<sup>s</sup>. 31 & 32, from which  
 a W. Oak 24 in. diam. bears N9°W 63 lks. dist. of  
 a Do. 20 " " " S23°E 40 " "

For S. boundary of Sec. 31 See end of Township



Township N. 31 North Range N. 13 East 2nd Mer. Indiana.

South Boundary

x East From the Corner of Sections 32 + 33 var 5.45 E  
On the West line of J. B. Bouris Reserve  
On North Boundary of Section 33 East line  
of Bouris Reserve

71.88 Intersect Indian Reservation. (Bouris) 1231  
links South of the NE corner thereof

Set a Post from which

a Beech 8 in. diam. bears S. 51 E. 12 links dist. &

a Do 7 " " " N. 71 1/2 E. 36 " " &

a Poplar 30 " " " N. 71 1/2 E. 36 " "

80.00 Set Post Corner to Sec. 33 + 34 from which

a S. Ash 5 in. diam. bears N. 27 W. 5 links dist. &

a Do 7 " " " N. 6 E. 25 " "

Land level 2nd rate. Timber. Ash. Oak. Beech  
& Hickory Undergrowth Ironwood &  
Spice.

East On South Boundary of Sec 34

22.52 Intersect West line of E. C. Kercheval's Reserve &  
set Post. from which

a Beech 7 in. diam. bears S. 35 E. 32 links dist. &

a Do 13 " " " N. 31 W. 33 " "

40.00 1/4 Sec Corner in Reserve

80.00 Corner of Sec. 34 + 35 in Reserve

Land level 1st + 2nd 3rd rate Timber S. Ash  
Oak & Beech. Undergrowth Elm & Spice.

East On South Boundary of Sec 35

6.73 Set Post on East side of E. C. Kercheval's

Reserve 47.40 links North of Corner on River  
from which

an Elm 4 in. diam. bears S. 23 E. 11 links dist. &

a Sycamore 13 " " " N. 50 E. 15 " "

A Sycamore 17 " "

40.00 Set 1/4 Sec. Post. from which

T 31 N R 13 E 2nd Mer. Indiana.

a Buck 14 in. diam. bears N 1 E 20 links dis. &  
 a W. Ash 13 " " " N. 42 W. 23 " "  
 April 23<sup>d</sup> 1824

61.57 A Hickory 14 in. diam.  
 79.67 A Buck 18 " "  
 80.00 Set Post Corner to Sec. 35 & 36 from which  
 a Sugar 12 in. diam. bears N. 47 E. 12 links dis. &  
 a Hickory 14 " " " N. 57 1/2 W. 31 " "  
 Land & Timber the same as before

East On South Boundary of Sec 36  
 20.00 A Sugar 18 in. diam.  
 25 25 A Stream 25 links wide. Course. S.E.  
 40.00 Set a 2<sup>d</sup> Sec Post. from which  
 a Hickory 16 in. diam. bears S 72 W 19 links dis. &  
 a Red Oak 20 in. " " " N. 79 E. 26 " "  
 65 76 A Hickory 18 " "  
 80.00 Set Temporary Post Corner to Towns 30 & 31  
 North. Range 13 & 14 East.  
 Land & Timber same as before

East Boundary.  
 North On East. Boundary of Sec 36. & 5.456  
 9.33 A S. Ash 16 in. diam.  
 40.00 Set a 2<sup>d</sup> Sec Post from which  
 a Burr Oak 16 in. diam. bears S. 8 W. 19 links dis. &  
 a Do " 24 " " " N. 59 W. 11 " "  
 55 00 Entered Ancient fallen Timber  
 61.18 A Burr Oak 24 in. diam.  
 69.10 An Elm 8 in. diam.  
 80.00 Set Post Corner to Sec 25 & 36 from which  
 a Buckeye 4 in. diam. bears S 27 W 11 links dis. &  
 an Elm 4 " " " N. 23 W. 16 " "  
 Land level & not 2<sup>d</sup> rate Timber, Ash  
 Buck & Elm, Under 1<sup>st</sup> Ironwood &c.

North On East Boundary of Sec 25

05.50 Fallen Timber

26.93 A Beech 8 in. diam.

40.00 Set a q. Sec. Post. from which  
an Ironwood 4 in. diam. bears S. 16 N. 9 links dist.  
a Do 6 " " " N. 51 W. 10 " "

52.44 A Beech 18 in. diam.

56.70 A Stream 20 links wide, Course, East

80.00 Set a Post Corner to Sec. 24 & 25 from which  
a Dogwood 5 in. diam. bears S. 17 W. 23 links dist. &  
a Beech 20 " " " N. 32 W. 18 " "  
Land level 2nd rate. Timber, Ash, Beech,  
Hickory, & Oak Undergrowth. Ironwood,  
Dogwood, & Spice.

North On East Boundary of Sec 24.

23.45 A V. Ash 17 in. diam.

40.00 Set a q. Sec. Post from which  
a V. Ash 4 in. diam. bears S. 6 W. 18 links dist. &  
an Elm 15 " " " N. 16 W. 12 " "

59.11 A Swamp Ash 16 in. diam. Apr. 24th.

75.93 A Lyrus 4 in. diam.

78.75 A Stream 15 links wide.

80.00 Set a Post Corner to Sec. 13 & 24 from which  
a B. Ash 21 in. diam. bears S. 7 W. 23 links dist. &  
a Hickory 22 " " " N. 16 W. 14 " "  
Land level & not 2nd rate. Timber, Ash,  
Beech & Sugar, Hickory, &c. Undergrowth.  
Ironwood B. Ash & Black Hawth

North On East Boundary of Sec 13

20.00 A Sugar 13 in. diam.

24.74 A Stream 20 links wide, Course, S. E

29.84 A W Oak 19 in. diam.

38.00 A Stream 20 links wide, Course S W.

40.00 Set q. Sec Post from which

## T 31 N R 13 E 2nd Mer. Indiana,

an Elm 13 in. diam. bears S. 35 W 35 lbs dist. 58  
 a Hickory 23 in. " " N. 13 W 14 " "  
 55 48 A W Oak 30 " "  
 70.93 A B. Oak 54 " "  
 80.00 Set Post Corner to Sec. 12 & 13 from which  
 a B. Ash 6 in. diam. bears S 71 W 18 lbs dist. 58  
 a Beech 24 " " " N. 12 W 25 " "  
 Land & Timber as before

North On East Boundary of Sec 12  
 21.73 A Beech 12 in. diam.  
 40.00 Set a gr. Sec. Post from which  
 a Sugar 5 in. diam. bears S 13 W 9 lbs. dist. 58  
 a Beech 14 " " " N. 33 W 35 " "  
 55.00 A Beech 16 " "  
 57.70 A Stream 24 links wide. Course S. W.  
 80.00 Set Post Corner to Sec 1 & 12 from which  
 a Hickory 16 in. diam. bears S. 18 W 45 lbs. dist. 58  
 a S. Ash 4 " " " N. 39 W 18 " "  
 Land level & met 2nd rate. Timber. Beech  
 Ash & Hickory.

North On East Boundary of Sec 1  
 23.69 A Beech 18 in. diam.  
 40.00 Set gr. Sec Post from which  
 a Burr Oak 15 in. diam. bears S 17 W 47 lbs. dist. 58  
 a S. Ash 12 " " " N. 56 W 32 " "  
 53.58 A Sugar 15 " "  
 70.13 A Red Oak 23 in. diam.  
 80.00 Set Temporary Town Corner Post.  
 Land & Timber as last described  
 April 25th 1828 Surveyed by  
 Paul Willis D.S.

## West Boundary.

North On East Boundary of Sec. 36. T 31 N R 12 E



## T 31 N R 12 E 2nd Mer Indiana.

- 2.19 An Elm 12 in. diam.  
 40.00 Set a 2<sup>nd</sup> Sec Post from which  
 a W. Oak 3 in. diam. bears S 44 E 15 links dist. &  
 a Hickory 16 " " " N. 53 W. 32 " "  
 55.18 A W. Oak 36 in. diam.  
 80.00 Set Post Corner to Sec. 25 & 36 from which  
 a Red Oak 20 in. diam. bears N 40 W 29 links dist. &  
 a W. Oak 12 " " " S 59 E 32 " "  
 1<sup>st</sup> 1/2 mile barren land, Timber, W. Oak,  
 Last 1/2 " land wet in places, Timber, Oak  
 & Hickory, 2<sup>nd</sup> rate, Under 1<sup>st</sup> Thorn, Huckle.

North On East Boundary of the 25 T 31 N R 12 E

- 3.70 A Hickory 15 in. diam.  
 10.00 A Do 13 " "  
 53.60 A Brook 3 links wide. Course West.  
 40.00 Set 2<sup>nd</sup> Sec Post from which  
 a W. Oak 3 in. diam. bears N 66 W. 7 links dist. &  
 an Ash 4 " " " N. 80 E. 3 " "  
 44.50 Intersect the St. Josephs River and set  
 Post on the Left Bank. from which  
 a W. Oak 4 in. diam. bears N. 5 E. 31 links dist. &  
 a B. Oak 14 " " " N. 60 W. 15 " "  
 Land 2<sup>nd</sup> rate. March 17<sup>th</sup>. 1824  
 Little Timber. Oak. Hickory, &c. Under 1<sup>st</sup>.  
 Appin Huckle. Thorn. " W. Oak  
 61.50 Intersect the Right Bank of St. Josephs  
 from which  
 a B. Oak 10 in. diam. bears N. 55 E. 27 links dist. &  
 & a W. Oak 6 " " " West 30 " "  
 75.21 A Buckeye 15 in. diam.  
 77.75 A Branch 25 links wide. Course, E.  
 80.00 Set Post Cor. to Sec 24 & 25 from which  
 a Gum 8 in. diam. bears S 16 W. 17 links dist. &  
 a Do 6 " " " N. 32 W. 12 " "  
 Land 2<sup>nd</sup> rate, Timber, Oak Hickory Beech, &c.



T 31 N R 13 E 2nd Mer. Indiana.

Undergrowth Spice. &c.

North On East Boundary of Sec 24 T 31 N R. 12 E.

14.95 A Beech 15 in. diam.

38.39 A Red Elm 20 in. "

40.00 Set a 1/4 Sec Post from which  
a Hickory 10 in. diam. bears S 31 E 9 lks. dist. &  
a Beech 12 " " " N 15 W 25 " "

45.89 An Ash 10 " "

59.10 A Brook 2 links wide. Course, E.

63.73 A Poplar 18 in. diam.

80.00 Set a Post Cor to Sec 13 + 24 from which  
a Beech 18 in. diam. bears N 20 E 30 links dist. &  
a Hickory 15 " " " S 50 W 57 " "  
Land 1<sup>st</sup> 3/4, 1<sup>st</sup> rate. Timber. Walnut Poplar  
Buckeye Hickory Oak. Spice. &c.  
Last 1/4 Land rolling 2<sup>nd</sup> rate. Timber.  
Oak Hickory. Beech. &c.

March 25<sup>th</sup> 1824

Surveyed by

Benj. J. Blythe, D.S.

North On East Boundary of Sec 13 T 31 N R 12 E.  
From the corner of Sec 13 + 24 on Reserve line  
var. S 45 E.

35.30 Intersect the N.W. line of J. B. Richardville's  
Reserve at a Lumn 3 in. diam. for Corner.

46.00 Set a 1/4 Sec Post from which  
an Ironwood 6 in. diam. bears S 19 W 23 lks. dist. &  
a Beech 16 in. diam. bears N 24 W 10 links dist. &

52.00 a Dr 18 " "

80.00 Set a Post Corner to Sec 12 + 13 from which  
a Buckeye 14 in. diam. bears S 32 W 40 lks. dist. &  
a Hickory 21 " " " N 73 W 13 " "  
Land level 2<sup>nd</sup> rate. Timber. Beech. Oak.  
& Hickory. Underg<sup>th</sup> Ironwood. Ironwood, &  
Sugar.

## T 31 N. R 13 E 3rd Mer. Indiana.

North On East Boundary of Sec 12, T 31 N. R 12 E.

28, 90 A Buck 15 in. diam.

40, 00 Set a qz Sec Post from which  
a Buckeye 4 in. diam. bears S 24 W 10 links dis.  
a Buck 24 " " " N 82 W 4 " "

52, 76 A W Oak 24 " "

75, 70 A Cherry 17 in. diam.

80, 00 Set a Post Cor. to Sec. 1 & 12 from which  
a Burr Oak 30 in. diam. bears S 32 W 15 links dis.  
& a Sugar 15 " " " N 45 W 58 " "  
Land a little rolling 2nd rate, Timber. Oak.  
Sugar & Buck. Undergrowth Ironwood,  
Sugar. & Hickory.

North On East Boundary of Sec 1 T 31 N. R 12 E

2, 70 A Stream 40 links wide, Course, S.E.

15, 70 A W Oak 48 in. diam.

33, 98 A Buck 15

40, 00 Set a qz Sec Post. from which  
an Elm 3 in. diam. bears S 26 W 15 links dis.  
an Ironwood 4 in. " " N 40 W 15 " "

67, 40 A Hickory. 16 " "

80, 00 Set Temporary Corner.  
Land level 2nd rate. Timber. Buck. Oak.  
& Hickory Undergrowth Ironwood. Ash  
and Hickory.

Surveyed by  
Benj. J. Rhythe  
D.S.

## Subdivisions

North Between Sec. 35 & 36

18, 89 A W. Ash 7 in. diam.

19, 42 A Brook 10 links wide Course S.E.

40, 00 Set a qz Sec Post from which  
a Buck 15 in. diam. bears South 11 links dis.

## T 31 N. R 13 E. 2nd Mer. Indiana.

a Beech 6 in. diam. bears N 37 W 24 lks. dist.  
 73.74 A Sugar 7 " "  
 80.00 Set a Post cor. to Sec. 25 26. 35 & 36 from which  
 a Hickory 14 in. diam. bears S 19 E 9 lks. dist. &  
 a B. Ash 5 " " " S 53 W 4 " "  
 Land level & rich. Timber. W. & R. Oak,  
 Ash. & Hickory. Undergrowth. Spice &  
 Beech. Sugar. & Ash.

East On Random between Sec. 25 & 36  
 40.00 Set Temporary gr. Sec. Post.  
 80.00 Intersect East Boundary 86 links South of Post  
 Land &c. same as before

West Corrected between Sec. 25 & 36  
 40.00 Set a gr. Sec. Post on true line from which  
 a Beech 5 in. diam. bears N 22 E 17 links dist. &  
 a Do 16 " " " S 70 E 30 " "  
 80.00 To Sec. Corner

North Between Sec. 25 & 26  
 21.95 A Liplar 26 in. diam.  
 41.00 Set a gr. Sec. Post from which  
 a Beech 13 in. diam. bears N 10 E 26 links dist. &  
 a Do 15 " " " N 26 W 11 " "  
 65.96 A Beech 20 in. diam.  
 80.00 Set a Post Corner to Sec. 23. 24. 25 & 26 from which  
 a Beech 6 in. diam. bears S 24 1/2 W 23 links dist. &  
 a Do 16 " " " N 57 W 27 " "  
 Land & Timber same as before

East On Random between Sec. 24 & 25  
 40.00 Set Temporary gr. Sec. Post.  
 47.60 A Brook 6 links wide, course, S. W.  
 80.05 Intersect N & S line or East Boundary, 30 links  
 South of the Post.

207

T 31 A R 13 E 2nd Mer. Indiana.

Land &c, same as before described.

---

West Connected between Secs 24 + 25  
40.00 Set a gr Sec Post at aver dist. from which  
a Red Oak 6 in. diam. bears N 37 W 15 links dist. &  
a W. Ash 30 " " " S. 28 E. 21 " "  
80.05 To Sec Corner

---

North Between Secs 23 + 24. in the Ft. Wayne district  
22.23 A Hickory 11 in. diam.  
40.00 Set a gr. Sec Post from which  
a Red Oak 24 in. diam. bears S. 71 W 21 links dist. &  
a Hickory 9 " " " S. 67 E. 20 " "  
55.15 A Buck 14 " "  
78.00 A Brook 8 links wide. Course, S. W.  
80.00 Set a Post Corner to Secs 13. 14. 23 + 24 from which  
a W. Oak 24 in. diam. bears S 30 E 20 links dist. &  
a Buck 8 " " " N. 50 E. 19 " "  
Land &c, same as before.

---

East On Random between Secs 13 + 24.  
40.00 Set Temporary gr Sec Post  
44.00 A Brook 8 links wide. Course South  
80.01 Intersect the Co. Boundary 1.10 links S. of Post  
Land & Timber same as before.

---

West Connected between Secs 13 + 24  
40.00 Set gr Sec. Post. on true line. from which  
a Hickory 14 in. diam. bears N 39 W 39 lks. dist. &  
a Do 14 " " " N. 29 E. 13 " "  
80.01 To Sec. Corner

Tuesday March 17<sup>th</sup> 1829

---

North Between Secs 13 + 14  
20.88 A W. Oak 4 in. diam.  
40.00 Set a gr Sec Post. from which



## T 31 N R 13 E Ind. Mer. Indiana

A Hickory 14 in. diam. bears S 28 E 4 lks. dist.  
 65.10 A W. Oak 16 in. diam.  
 80.00 Set a Post Cor. to Sec. 11. 12. 13 & 14 from which  
 a W. Oak 26 in. diam. bears S 29 E 40 links dist. &  
 a Do 18 " " " N 3 1/2 W 25 " "  
 Land 2<sup>nd</sup> rate. Timber. W. & Red Oak.  
 Beech. Elm. &c.

East On Random between Sec. 12 & 13  
 40.00 Set a Temporary op. Sec. Post.  
 80.00 Intersect the N & S line 58 links S. of Post.  
 Land &c. same as before.

West Corrected between Sec. 12 & 13  
 40.30 Set a op. A Sugar 10 in. diam. is Corner to  
 1/4 Sec. from which  
 a Sugar 10 in. diam. bears S 27 E 15 links dist. &  
 80.60 To the corner.

North Between Sec. 11 & 12  
 23.90 A Beech 14 in. diam.  
 40.00 Set a op. Sec. Post from which  
 a W. Oak 16 in. diam. bears S 19 W 58 links dist. &  
 a Do 25 " " " N 42 E 28 " "  
 55.04 A W. Oak 4 in. diam.  
 80.00 Set a Post Corner to Sec. 1. 2. 11 & 12, from which  
 a Beech 15 in. diam. bears N 67 W 28 links dist. &  
 a Do 9 " " " South 4 " "  
 Land &c. same as before.

East On Random between Sec. 1 & 12  
 40.00 Set Temporary op. Sec. Post  
 81.12 Intersect E Boundary 36 links South of the  
 Post. bearing 9° 30' E.  
 Land &c. same as before.



209

T 31 N. R 13 E Ind. Mer. Indiana,

West Connected between Sec? 1 + 12  
 140.50 Set a gp. Sec Post at aver. dist. from which  
 a Black Ash 16 in. diam. bears S 66 W 19 links dist.  
 a Do " 22 " " " N. 29 W 19 " "  
 81.13 To Sec corner.

North Between Sec? 1 + 2  
 19.85 A Black Ash 15 in. diam.  
 40.00 Set a gp. Sec Post from which  
 a Sugar 13 in. diam. bears S 33 W 25 links dist. &  
 an Elm 18 " " " N. 33 E. 6 " "  
 69.78 A W. Oak 40 " "  
 88.88 Intersect North Boundary 48 links East of Post.  
 Set Post Corner to Sec? 1 + 2 from which  
 a Hickory 4 in. diam. bears S 25 1/2 W 7 links dist. &  
 a Do 12 " " " S 63 E. 30 " "  
 Land &c same as before  
 Tuesday March 19<sup>th</sup> 1829  
 Wm. Brookfield.

West Between Sec? 26 + 35  
 22.00 A Black Ash 15 in. diam.  
 40.00 Set a gp. Sec Post. from which  
 a Black Ash 25 in. diam. bears S 15 W 4 links dist.  
 a Do " 10 " " " N 68 W 6 " "  
 60.30 A Maple 20 " "  
 80.00 Set a Post Cor to Sec? 26. 27 34 + 35 from which  
 a Beech 6 in. diam. bears N 44 E 19 links dist. &  
 a Hickory 10 " " " S 21 E 33 " "  
 Land a little rolling 1<sup>st</sup> rate. Timber.  
 Sugar. Beech. Poplar. Ash. Elm. &c. &c.

South Between Sec? 34 + 35  
 To close on Kicheval's Reserve.  
 14.50 Intersect the North Boundary of C. C. Kicheval's

T 31 S R 13 E Twp. 10 N. Indiana.

Reserve 5 ch<sup>2</sup> & 63 links West of the N.E.  
angly of said Reserve

Set a Post Corner to Sec. 34 & 35 from which  
a Beech 16 in. diam. bears N. 73 $\frac{1}{2}$  E. 14 links dist. &  
a Os 18 " " " N. 75 W. 41 " "  
Land &c same as before.

North Between Sec. 26 & 27

21.90 A Beech 13 in. diam.

40.00 Set a gr. Sec Post from which  
a Hickory 15 in. diam. bears N. 77 W. 8 links dist. &  
an Elm 16 " " " N. 84 E. 47 " "

63.04 A Beech 16 in. diam.

80.07 Set a Post Corner to Sec. 22, 23, 26 & 27 from which  
a Beech 14 in. diam. bears S. 68 E. 17 links dist. &  
a Os 16 " " " S. 22 W. 31 " "

Land gently rolling 1<sup>st</sup> rate. Timber. Sugar  
Beech. Poplar. W. & Red Oak. Ash. Elm &c.

East On Random between Sec. 23 & 26

40.00 Set Temporary gr. Sec. Post.

79.65 Intersect the S. & S line 1.27 links North of  
the Post

Land & Timber as before

West Connected between Sec. 23 & 26

39.82 $\frac{1}{2}$  Set a gr. Sec Post at aver dist. from which  
a Beech 16 in. diam. bears S. 73 $\frac{1}{2}$  E. 23 links dist. &  
a Sugar 7 " " " S. 15 $\frac{1}{2}$  E. 12 " "

79.65 To Sec. Corner

North Between Sec. 22 & 23

19.61 An Elm 6 in. diam.

40.00 Set a gr. Sec Post from which  
a Hickory 24 in. diam. bears South 4 lks dist. &  
a W. Oak 20 " " " N. 38 E. 20 " "

211

T 31 N. R 13 E 2nd Mer. Indiana.

59.66 A W. Oak 10 in. diam.  
 80.00 Set a Post Corner to Sec. 14 15. 22 + 23 from which  
 a Beech 10 in. diam. bears S. 4 E. 25 links dist. &  
 a Do 13 " " " N 36 1/2 W. 18 " "  
 Land &c, same as before.

East On Random between Sec. 14 + 23  
 40.00 Set Temporary qz Sec Post  
 76.50 A Buck 8 links wide. course N W. + S E  
 80.20 Intersect East Boundary 80 links. South of Post.  
 Land &c, same as before.  
 Wednesday March 18<sup>th</sup> 1829

West Connected between Sec. 14 + 23  
 40.10 Set qz Sec Post at area. dist. from which  
 a Hickory 1 1/2 stands for 1/4 Sec. Corner and  
 a Red Oak 30 in. diam. bears S. 43 W. 3 links dist. &  
 a Dogwood 5 " " " East 4 " "  
 To Sec Corner.

North Between Sec. 14 + 15  
 23.12 A W. Oak 15 in. diam.  
 40.00 Set a qz Sec. Post from which  
 a Red Oak 36 in. diam. bears S. 43 E. 7 1/2 links. dist. &  
 a Hickory 8 " " " N. 21 E. 17 " "  
 62.37 A Maple 14 " "  
 80.00 Set a Post Corner to Sec. 10 11. 14 + 15 from which  
 a W. Oak 7 in. diam. bears S. 14 E. 9 links dist. &  
 a W. Ash 9 " " " N. 18 E. 27 " "  
 Land &c, same as before

East On Random between Sec 11 + 14  
 40.00 Set Temporary qz Sec Post.  
 80.14 Intersect the N + S line 22 links N. of Post.  
 Land some swampy. Timber same as before.

## T 31 N R 13 E 2nd Mer Indiana.

West Corrected between Sec. 11 & 14  
 40.07 Set a gp Sec Post at aver. dist. from which  
 a Sugar 11 in. diam. bears S  $77\frac{1}{2}$  E 18 links dist. &  
 a Hickory 14 " " " N  $33\frac{1}{2}$  W 11 " "  
 80.14 To Sec. Corner

North Between Sec. 10 & 11  
 23.24 A Hickory 18 in. diam.  
 40.00 Set a gp Sec Post from which  
 a W. Oak 10 in. diam. bears S  $75$  E 46 links dist. &  
 a Do 24 " " " S  $61\frac{1}{2}$  W 35 " "  
 57.50 A Dry Creek 10 links wide Course, S. W.  
 62.59 A W. Oak 11 in. diam.  
 80.00 Set a Post cor. to Sec. 2, 3, 10 & 11 from which  
 a Maple 7 in. diam. bears S  $18$  W 10 links dist. &  
 a Do 6 " " " N  $8$  E 11 " "  
 Land &c, same as before.

East On Random between Sec. 2 & 11  
 40.00 Set a Temporary gp Sec Post.  
 80.10 Intersect the N & S line 8 links N. of Post.  
 Land &c, same as before.

West Corrected between Sec. 2 & 11  
 40.05 Set gp Sec Post at aver. dist. from which  
 a W. Ash 3 in. diam. bears N  $15$  W 4 links dist. &  
 an Elm 7 " " " N  $57\frac{1}{2}$  E 8 " "  
 80.10 To Sec. Corner.

North Between Sec. 2 & 3  
 24.09 A W. Oak 12 in. diam.  
 40.00 Set a gp Sec Post from which  
 a W. Oak 8 in. diam. bears S  $73$  E 43 links dist. &  
 a Buckeye 6 " " " N  $33\frac{1}{2}$  E 11 links dist.  
 59.39 A W. Oak 22 in. diam.  
 88.33 Intersect the North Boundary 1.77 links E



of the Post

Set Post corner to Sec. 2 + 3 from which  
a Poplar 6 in. diam. bears S 38 $\frac{1}{2}$  W. 40 links dist. &  
a Beech 16 " " " S. 44 E. 31 " "  
Land + Timber same as before.

Friday March 20<sup>th</sup> 1829

North Between Sec. 33 + 34

19.57 A Beech 7 in. diam.

40.00 Set a q<sup>r</sup> Sec Post from which  
a Poplar 14 in. diam. bears North 11 links dist. &  
a Beech 12 " " " S 60 $\frac{1}{2}$  W. 28 " "

39.11 A Hickory 10 in. diam.

60.50 A Brook 8 links wide. Course, S. W.

80.00 Set a Post corner to Sec. 28 29 30 + 34 from which  
an Elm 5 in. diam. bears S 37 W. 9 links dist. &  
a W. Oak 8 " " " N. 32 W. 11 " "

Land S<sup>st</sup> rate. Timber. Sugar. Beech  
W. Oak. W. + B Ash. &c..

East On Random between Sec. 27 + 34

8.75 A Brook 8 links wide. Course SE

40.00 Set Temp<sup>l</sup> q<sup>r</sup> Sec Post.

76.00 A Brook 6 links wide. Course SE.

80.04 Intersect the N + S line at Post.

Land &c same as before.

West Corrected between Sec. 27 + 34

40.02 Set a q<sup>r</sup> Sec Post at aver. dist. from which  
a Beech 16 in. diam. bears S 74 E. 31 links dist. &  
a Hickory 11 " " " S 36 W. 20 " "

80.04 To Sec Corner

West Between Sec. 28 + 33

28.39 A Hickory 16 in. diam.

40.00 Set q<sup>r</sup> Sec Post. from which



## T 31 N. R. 13 E 3rd Mer. Indiana.

a Hickory 11 in. diam. bears S 69 7/8 links dist &  
 a Dogwood 4 " " " S. 44 1/2 E. 28 " "  
 64.82 A W. Oak 18 " " "  
 80.22 Intersect the Ft. Wayne Reserve 22 links  
 South of the Post.

Set a Post Corner to Sec. 28 + 33 from which  
 a Hickory 13 in. diam. bears S 56 E 8 links dist &  
 a Sugar 13 " " " A. 18 3/4 E. 35 " "  
 Land level 2<sup>nd</sup> rate Timber. W. + R. Oak  
 Beech. Hickory. Dogwood.

North Between Sec. 27 + 28.

24.26 A W. Oak 26 in. diam.

40.00 Set a gr. Sec Post from which  
 an Ironwood 7 in. diam. bears S 35 1/2 E. 14 links dist &  
 a Beech 17 " " " A. 9 W. 30 " "

59.50 An Elm 10 " "

80.00 A Hickory 12 " " is Corner to Sec. 21. 22. 27  
 and 28 from which  
 a Hickory 14 in. diam. bears South 48 links dist  
 Land + Timber same as before

East On Random between Sec. 22 + 27

40.00 Set 1/4 Sec Post.

80.20 Intersect the N + S line 13 links — of Post  
 Land level + 2<sup>nd</sup> rate. Timber same as before.

West Corrected between Sec. 22 + 27

40.10 Set 1/4 Sec Post at aver. dist from which  
 a Beech 12 in. diam. bears S 30 W 17 links dist &  
 a Do 6 " " " S. 57 E. 27 " "

80.20 To Sec. Corner.

West Between Sec. 21 + 28

20 19 A W. Oak 11 in. diam.

40.00 Set gr. Sec. Post from which

Comp.

## T 31 N. R. 13 E 2nd Mer. Indiana,

a W. Oak 14 in. diam. bears N 38 W 13 lks. dist. &

a Blk Walnut 24 in. " " S. 62 W 42 " "

62.60 A Black Oak 26 " "

79.59 Intersect the Ft. Wayne Reserve 83 links South of the Corner.

Set Post Corner to Sec. 21 + 22 from which  
a W. Oak 26 in. diam. bears S. 73 E. 54 links dist. &

a Do 18 " " " S. 10 1/2 E. 24 " "

Land & Timber same as before

Saturday March 21<sup>st</sup> 1829

Wm. Brookfield D.S.

North Between Sec. 21 + 22

10.00 Enter Swamp

18.00 Leave same

26.50 An Elm 14 in. diam.

40.00 Set a gr. Sec. Post. from which

a Birch 10 in. diam. bears S. 81 W. 5 links dist. &

a W. Oak 30 " " " N. 28 E. 16 " "

59.03 A Do 8 in. diam.

80.00 Set a Post Corner to Sec. 15 16. 21 + 22 from which  
A Hickory 10 in. diam. is Corner

Land & Timber same as before.

East On Random between Sec. 22 + 15

40.00 Set Temporary gr. Sec. Post.

80 02 Intersect N + S line at Post.

Land level. Timber same as before.

West Corrected between Sec. 15 + 22

40.01 Set a gr. Sec. Post at arcc. dist. from which

an Elm 10 in. diam. bears N 8 1/2 W 5 links dist. &

a Do 14 " " " S 46 E 6 " "

80.03 To the Corner

West Between Sec. 16 + 21

## T 31 N R 13 E Ind. Mer. Indiana.

- 23.22 A Red Oak 26 in. diam.  
 44.00 Set a gr. Sec Post. from which  
 a Red Oak 12 in. diam. bears East 34 links dist.  
 Va W. Ash 4 " " " N. 33 E. 25 " "  
 54.50 Enter Swamp  
 62.50 Leave Do  
 67.01 A W. Oak  
 81.01 Intersect the Ft. Wayne Reserve 37 1/2 links  
 South of old Post.  
 Set Post Corner to Sec. 16 + 21. from which  
 a Hickory 6 in. diam. bears N 35 1/2 E 3 links dist.  
 an Elm 6 " " " S 38 1/2 E 49 " "  
 Land &c, same as before

## North Between Sec. 15 + 16

- 24.35 A W. Oak 22 in. diam.  
 40.00 Set a gr. Sec Post. from which  
 a W. Ash 5 in. diam. bears S 51 E 19 links dist. &  
 a Do 7 " " " N. 89 W. 11 " "  
 60.00 A Beech 18 in. diam.  
 80.00 Set a Post Corner to Sec. 9. 10. 15 + 16 from which  
 a Beech 13 in. diam. bears N 64 E 14 links dist. &  
 a Do 15 " " " N. 71 1/2 W. 33 " "  
 Land & Timber same as before.

## East On Random between Sec. 10 &amp; 15

- 40.00 Set Temporary gr. Sec Post.  
 79.84 Intersect the N + S line 6 links E. of Post.  
 Land swampy. Timber same as before.

## West Corrected between Sec. 10 &amp; 15

- 39.92 Set a gr. Sec Post at aver. dist. from which  
 a Sugar 12 in. diam. bears N 55 1/2 W. 30 links dist. &  
 a Red Oak 10 in. " " " N 50 E 13 " "  
 79.84 To Sec. corner

217

T 31 N. R 13 E 2nd Mer. Indiana.

West Between Sec. 9 + 10  
 To Close on Richardvill's Reserve.  
 23.18 A Sugar 24 in. diam.  
 36.92 Intersect J. B. Richardvill's Reserve. and  
 Set Post Corner to Sec. 9 + 10 from which  
 a W. Oak 16 in. diam. bears N. 46 $\frac{1}{2}$  W. 42 links dist. &  
 an Elm 7 " " " N. 85 E. 37 " "  
 Thence S 60 E. to Corner of Reserve. 15 58  
 to the most easterly Corner of J. B. Richardvill's  
 Reserve of 3.20 acres.

North Between Sec. 9 + 10  
 21.00 A Hickory 5 in. diam.  
 40.00 Set a 2nd Sec Post from which  
 a Beech 16 in. diam. bears N. 4 E. 9 links dist. &  
 a W. Oak 10 " " " S 52 $\frac{1}{3}$  W 31 " "  
 48.88 Intersect Ann Hackley's Reserve and  
 Set Post Cor. to Sec. 9 + 10 from which  
 a Beech 22 in. diam. bears S. 27 $\frac{1}{4}$  W 34 lks. dist. &  
 an Elm 6 " " " S. 36 E. 39 " "

East On Random between Sec. 3 + 10  
 18 92 Leave the Reserve  
 40.00 Set Temp. 2nd Sec Post.  
 79 55 Intersect the S + E line 200 links North of Post.  
 Land rolling 2nd rate. Timber same.

West Corrected between Sec. 3 + 10  
 39.77 $\frac{1}{2}$  Set a 2nd Sec. Post from which  
 a Sugar 14 in. diam. bears S. 28 $\frac{1}{2}$  E. 20 links dist. &  
 a Hickory 11 " " " N. 63 $\frac{1}{2}$  W 10 " "  
 60.53 <sup>2nd Sec. Post from corner of most</sup> Corner of Ann Hackley's Reserve of 6.40  
 acres. Set Post Corner to Sec. 3 + 10  
 from which  
 a Sugar 16 in. diam. bears N. 8 $\frac{1}{2}$  W. 23 links dist. &  
 a Beech 7 " " " S 86 $\frac{1}{3}$  E 27 " "



## T 31 N R 13 E 2nd Mer. Indiana.

79 55 Sec. Corner in Reserve (Temp<sup>2</sup>)

North Between Sec. 3 &amp; 4

32.59 Line A H's Reserve and set cor. 294 links from N. Post  
Cor. upper Cor. of Ann Hackley's Reserve. from which a  
B. Walnut 18 in. diam. bears N 27° W 100 links dis. 5 &  
Sugar 18 " " " " S 63 1/4° E 22 " "37 80 A W. Oak 10 in. diam. on the South Bank  
of Little St. Joseph's.  
Land 1<sup>st</sup> rate. Timber. Buck Sugar  
W. & Red Oak.Meanders of the St. Joseph's in Sec 3  
Beginning at Post on Tenn line. Thence

Courses	Distances	Remarks.
S 15° E	7.50	
S 24° W	8.50	
S 47° W	7.50	
S 83° W	3.00	
S 77 1/4° W	5.50	
S 89° W	11.50	
S 57 1/2° W	5.50	
S 20 1/2° W	3.00	
S 14 1/2° W	12.00	
S 4 1/2° W	5.50	
S 26 1/2° W	2.50	To Meander Post Between Sec. 3 & 4

S 29° W 1.50 In Sec 4

S 32° W 1.53 To Meander Post on upper side of  
Ann Hackley's Reserve

North Between Sec. 16 &amp; 17

To close on Reserve. Go Reverse

29.59 Intersect Reserve 37 10 links from the  
South Easterly Corner of Maria C De Remes



Reserve of 6.40 acres.

Set Post Corner to Sec. 16 N 7 from which  
a W. Oak 16 in. diam. bears S 46 E 41 links dis.  
to a Y. Oak 8 " " " S. 11 W. 43 " "  
Land 2<sup>nd</sup> rate. Timber. W. R. + Y. Oak.  
Hickory.

Meanders of the Little St. Josephs in Sec 4  
Beginning at upper Meander Post on  
J. + B. Bouries Reserve. Thence

N 9 E 4.00

N 26 1/2 E 10.00 Opposite a little Island of about 1/2 an acre.

N 40 1/2 E 9.00

N 58 E 31.50

N 88 1/2 E 3.50

S 56 E 14.00

N 58 E 9.00

N 65 E 2.33 To lower Meander Post of Joseph Parks  
Reserve. and 52 chains to Intersection  
of Town Line From River on Parks  
West Boundary.

Set Post Corner at Town Line a Lynn  
Station 11 in. diam.

North 3 links. A W. Oak 8 in. diam. bears  
S. 5 W. 12 links. then West to  
the 1<sup>st</sup> 1/4 Sec Post 37.20 links (On T. Line)

South Between Sec. 4 + 5

To close on J<sup>nt</sup>. B. Bouries Reserve

21 20 A W. Ash 4 in. diam.

22.00 A Brook 6 links wide. Course S E.

40.00 Set a gp Sec Post. from which

a Beech 7 in. diam. bears N. 84 W. 17 links dis.  
an Elm 7 " " " N 83 1/2 E 38 " "

41 71 Intersect Bouries Reserve of 6.40 acres  
24 ch. + 26 links from the <sup>6<sup>th</sup></sup> Cor. of same.

# S 31 A R 13 E 2nd Mer. Indiana.

Set Post corner to Sec 4 + 5 from which  
a W. Oak 12 in. diam. bears N 43° E 33 lks dist. &  
an Elm 7 " " " S 80° E 26 " "  
Land gently rolling 1<sup>st</sup> rate. Timber. Sugar.  
Hickory, Elm, Beech. Blue & W. Ash. &c.

South Between Sec. 5 + 6

20.03 A Hickory 25 in. diam.

31.00 Enter Swampy Prairie

39.00 Leave Do

40.00 Set a gr. Sec. Post from which

a W. Oak 5 in. diam. bears S 53° W 39 links dist. &  
an Asp. 3 in. " " S 89° E 15 " "

I believe the S W corner of Bouries Reserve  
is some chains to the East of me:-

(As I pass through West end of Wet Prairie

61.15 A Beech 13 in. diam.

77.50 A Brook 8 links wide; Course S E

78.50 A Do 8 " " " " S. W.

80.00 Set a Post corner to Sec. 5. 6. 7. + 8 from which

a Beech 12 in. diam. bears S 46° E 16 links dist. &

a W. Oak 30 " " " S 76° W 22 " "

Land 2<sup>nd</sup> rate Barrens Timber. W. & R. Oak.  
Asp. Beech. &c. &c.

East Between Sec. 5 + 8 To close Bouries Reserve.

20.75 Intersect. Bouries Reserve. 31 ch. + 75 lks  
from the corner on River (lower)

Set Post cor. to Sec. 5 + 8 from which

an Ironwood 3 in. diam. bears S 39° W 15 lks dist.

a W. Ash 3 1/2 " " " S 3 1/2° W 29 " "

Land 1<sup>st</sup> rate. Timber. W. Oak. Hickory.  
Beech. Ironwood, W. Ash. &c. &c.

Meanders in Section 8 of this Town  
Beginning at J. B. Richardville's upper

221

T 31 N R 13 E Ind. Mer. Indiana.

Corner.	Thence	Remarks
Courses	Distances	
N 62° W	6.00	
N 44½° W	3.50	
N 22½° W	25.50	A Brook 10 links wide, Course, S.E.
N 34° E	6.00	A Dr 8 " " " South
N 66½° E	12.00	To lower Meander Post on Bouries Reserve.

\* Line between Sec. 6 & 7 - 7 & 8 left out here - See end of 3p.

Between Sec. 7 & 8. I ran South 64° 52' less than 80 chains by 10 chains & 18 links:  
 Then West 32 chs I want to be 10 18 due South of this Point. Therefore in my Inverse Table at S 26° W. every 90 links South of the aforesaid course, requires 1 chain. Then to find my 10. 18. Southing. I say  
 As 90: 1.00: 10 chs & 18 links: 11 chs & 31 lks. to the Point where I leave the Reserve.  
 And 4 chs & 96 links West. which added to 32 chs make 36.96 West in all.

West Between Sec. 7 & 18  
 36.96 Leave N W line of Richardville's Reserve 11.31 links from N W angle. & set Corner Post from which  
 a Hickory 18 in. diam. bears S 2 E 19 links dist. 34  
 a W. Ash 16 " " " N 87½° W. 17 " "  
 40.00 Set a gr Sec Post from which  
 a Beech 15 in. diam. bears East 30 links dist. 34  
 a W. Oak 48 " " " N. 7° W. 17 " "  
 63.01 Intersect the West Boundary 9.25 links North of the Post.  
 Set Post Corner to Sec. 7 & 18. from which  
 a Beech 14 in. diam. bears S 36 E 27 lks. dist. 4  
 a Dr 14 " " " N 40 E 41 " "  
 Land &c. same as before

T 31 N. R 13 E Ind. Mer. Indiana.

Truth On East side of Tce 13 T. 31 S. R. 12 E  
From  $\frac{1}{4}$  Sec Corner 4.70 to Reserve line  
A Span 3 in. diam. at Intersections  
Finished this Town on Friday March 17<sup>th</sup>  
1829.

My Pack horse has been gone since last night  
a week ago & we have lost 3 days hunting  
him. I fear I shall never get him again  
and to-day one of my chainmen is taken  
very sick & I lost from the 19<sup>th</sup> of Jan<sup>y</sup>  
to the 1<sup>st</sup> of March. by lameness & Rheumatism  
in my knees. & there are so many fractional  
lines and so much measuring to Corners of  
Reserve, that I cannot get along with the  
work as fast as I could wish. However  
I will not give up the ship as did  
William Basil Bentley.

I I I have set the field notes & Meanders in  
the order as I surveyed them in this Town:  
Instead of putting the Meanders at the  
end of the Book.

I am instructed to Meander the St. Joseph  
but, I presume it was intended that I  
should Meander no more than what was  
without the Reserves in this Town: and so  
I have done

William Brookfield  
Dep<sup>y</sup> Surveyor

Pursuant to a Contract dated the 4<sup>th</sup> of Nov.  
1828, and Instructions from Edward Tiffin  
Surveyor General of the United States I  
have surveyed & subdivided into Sec.  
Township No 31 S. R. 13 E in the  
St. Wayne District in the State of



223

T 31 N. R. 13 E 2nd Mer. Indiana.

Indiana, and I Certify that the foregoing  
are the true field notes of the lines which  
they purport to be as part of said Contract.  
Certified this 4<sup>th</sup> day of May 1829

William Brookfield  
C. S.

Subdivisions	
of United States Reserve at Ft. Wayne	
North of the Maumee River	
North	On East Boundary of Ft. Wayne Reserve.
	Sections 32 + 33
1. 45-	A B. Oak 24 in. diam.
14 37	A B. Hickory 15 in. diam.
23. 00	A Brook 3 links wide. Course SE.
40. 00	Set or See Post from which a B. Oak 20 in. diam. bears S 35 E 49 links dis. & a Hickory 10 " " " N 33 W 50 " "
52 50	A Beech 10 in. diam.
53. 00	A Brook 3 links wide. Course SE.
80. 00	Set a Post Cor. to Secs. 28 29. 32 + 33 from which a Sugar 15 in. diam. bears N 45 E 15 links dis. & a Beech 10 " " " S 54 W 36 " " Land level 2nd rate. Timber. Sugar, Beech, Hickory, Oak, Beech, &c. Undergrowth Oak.
North	Between Secs. 28 + 29
7, 07	A Beech 12 in. diam.
36. 42	A Black Ash 18 " "
44. 00	Set a gr. See Post from which a W. Oak 30 in. diam. bears S 72 E 53 links dis. & a Hickory 12 " " " N 53 W 39 " "
49. 50	Enter Swamp
51. 50	Left Same
60. 00	Enter Wet Prairie
70. 00	Left Prairie

## T 31 N. R 13 E 2nd Mer. Indiana.

80.00 Set Post Corner to Sec? 20. 21. 28 + 29  
 from which  
 a W. Oak 4 in. diam. bears S 49... 7 links dist &  
 a Double W. Oak 6 in. " " N. 21 W. 21 "  
 Land 1<sup>st</sup> 1/4 mile met in places Timber Oak  
 Sugar. Beech &c. Undergrowth Oak &c.  
 Last 1/4 met Timber. Oak Hickory &c.  
 Undergrowth Willow &c. 3<sup>rd</sup> rate soil.

North Between Sec? 20 + 21

13. 14 A Beech 15 in. diam?

32. 10 A Brook 10 links wide. Course N.

40. 00 Set gr. Sec. Post from which

a Hickory 5 in. diam. bears N. 62 W. 14 links dist &

a Do 6 " " " S. 58 E. 33 " "

52. 50 Enter Swamp

57. 00 Left the same

73. 50 A Sugar 20 in. diam?

81. 00 Set Post corner to Sec? 16 17 20 + 21 from which

a W. Oak 20 in. diam. bears S. 54 E. 40 links dist &

a B. Oak 30 " " " N. 54 W. 18 " "

Land level 2<sup>nd</sup> rate. Timber. Sugar. Ash.

Oak Beech, &c. Undergrowth none

March 19<sup>th</sup> 1824

North Between Sec? 31 + 32

9. 10 A W. Oak "

11. 38 A Brook 6 links wide Course S. W.

29. 00 A W. Oak 18 in. diam?

40. 00 Set a gr. Sec. Post from which

a W. Oak 15 in. diam. bears N. 31 E. 16 links dist &

& Do 15 " " " S. 31 W. 24 " "

42. 55 A W. Oak 18 in. diam?

55. 00 A Brook 3 links wide. Course S. E.

72. 27 A Hickory 20 in. diam?

80. 00 Set a Post Corner to Sec? 29. 30 31 + 32 from which

a W. Oak 24 in. diam. bears N 45 W 28 links dist. &  
 a Hickory 20 " " " S 45 E 32 " "  
 Land Tred. Timber. Oak, Sugar, Hickory,  
 Dogwood. Soil 2nd rate.

East On Random between Sec. 29 + 32  
 140.00 Set Temp. 72 the Post  
 79.89 Intersect the E. Boundary. or S 45 line 19 links  
 South of the Post  
 Land & Timber same as before

West Corrected between Sec. 29 + 32  
 1. 7 A Beech 12 in. diam.  
 39.94 Set a 72 the Post from which  
 a W. Oak 30 in. diam. bears N 41 E 76 links dist. &  
 a Hickory 15 " " " S 50 W 27 " "  
 78.68 A W. Oak 10 in. diam.  
 79.89 To See Corner.

North Between Sec. 29 + 30  
 8.00 A Brook 4 links wide. Course North  
 14.50 Same Branch runs S E. Crossed it 9 or 10 times  
 22.00 A Brook 8 links wide. Course S. W.  
 36.73 A Hickory 12 in. diam.  
 40.00 Set a 72 the Post from which  
 a Double Dogwood 12 in. diam. bears S 69 E 47 links dist.  
 & a Hickory 12 " " " N 83 W 33 " "  
 50.00 A Brook 8 links wide. Course S. W.  
 64.16 A W. Oak 24 in. diam.  
 80.00 Set a Post Cor. to Sec. 19. 20 29 + 30 from which  
 a W. Oak 15 in. diam. bears N 63 E 43 links dist. &  
 a Hickory 12 " " " S 44 W 40 " "  
 Land 2nd rate. Timber. Sugar. Oak Ash  
 Beech. &c Undergrowth thick in places  
 of Spice + Hazle.

## T 31 N R 13 E 3rd Mer. Indiana.

East On Random between Sec. 20 + 29  
 40.00 Set Temporary of the Post.  
 56.00 Enter the camp  
 72.00 Left the same  
 79.86 Intersect N. + S line 14 links South of Post.  
 Land 2nd rate. Timber. Oak. Sugar.  
 Hickory. Beech. Spice. &c.

West Between Sec. 20 + 29  
 37.40 A Sugar 12 in. diam.  
 39.93 Set of the Post at aver. dist. from which  
 a W. Oak 18 in. diam. bears N. 65° E 40 links dist.  
 Do 12 " " " N 22 W 30 " "  
 79.72 A Hickory 30 " "  
 79.86 To the Corner

North Between Sec. 19 + 20  
 6.25 A Hickory 15 in. diam.  
 32.50 A Brook 15 links wide. Course  
 36.08 A Beech 24 in. diam.  
 40.00 Set a of the Post from which  
 a W. Ash 30 in. diam. bears N 71 W 40 links dist. &  
 a Bk. Ash 18 " " " S 42 W 2 " "  
 45.27 A Beech 24 in. diam.  
 77.00 A Brook 20 links wide. Course. S. W.  
 80.00 Set Post Corner to Sec. 17. 18. 19 + 20 from which  
 a Beech 20 in. diam. bears S. 64 W. 23 links dist. &  
 a Sugar 18 " " " N. 82 W. 24 " "  
 Land 1st 1/2 mile. 2nd rate. Timber. Oak.  
 Sugar. Beech. Hickory. &c. Last 1/2 mile  
 1st rate. Timber. Ash. Poplar. Walnut  
 Beech. &c. Undergrowth Spice &c.  
 Land met at the 1/2 mile Post.  
 March 20th 1824

East On Random between Sec. 17 + 20



T 31 N R 13 E. Ind. Mer. Indiana.

40.00 Set Temporary gp. Sec Post  
 79.69 Intersect the N+S line 28 links South of Post  
 Land 1 $\frac{1}{2}$  mile 1<sup>st</sup> rate. Timber. Walnut, Ash  
 Sugar. Beech &c. Underg<sup>th</sup> Spice.  
 Last  $\frac{1}{2}$  mile 2<sup>nd</sup> rate. Timber. Oak. & Hickory.

West Correlated between Secs 17 & 20  
 3.50 A Hickory 20 in. diam.  
 39.84 Set a gp. Sec Post at aver. dist. from which  
 a W. Oak 20 in. diam. bears N. 42 E. 68 links dist. &  
 a Do 22 " " " S. 20 W. 9 " "  
 47.91 A Red Oak 36 in. diam.  
 79.69 To Sec. Corner

West Between Secs 18 & 19  
 5.00 A Brook 20 links wide. Course N. W.  
 9.00 A Do 15 " " " S. W.  
 10.05 A W. Ash 15 in. diam.  
 13.50 A Brook 15 links wide. Course N. W.  
 Crossed it 4 times afterwards  
 17.79 Intersect East Bank of the St. Joseph's  
 from which  
 a Spruce 6 in. diam. bears S. 41 W. 40 links dist. &  
 a Cottonwood 4 in. " " N. 20 E. 53 " "  
 Land 1<sup>st</sup> rate. Timber. Walnut. Sugar. &c.  
 Undergrowth Spice &c.

March 23<sup>d</sup> 1824

21.72 To the West Bank of the St. Joseph's  
 from which  
 a W. Elm 15 in. diam. bears N. 40 E. 28 links dist.  
 & a Blue Ash 8 in. " " S. 29 W. 14 " "  
 29.10 A B. Oak 36 " "  
 36.25 A Brook 15 links wide. Course. South.  
 40.00 Set gp. Sec Post from which  
 an Ash 15 in. diam. bears N. 35 E. 20 links dist. &  
 an Ironwood 6 " " " S. 66 E. 4 " "

S 31 N R 13 E Ind. Mr. Indians

41. 16 A Buck 24 in. diam.  
 53. 60 A W. Oak 30 " "  
 69. 31 Intersect the West Boundary 28 links South  
 of a Burr Oak 20 in. diam. bears N 70 E 30 lks dist.  
 to Hickory 12 " " " S 43 E 18 " "  
 Land 1<sup>st</sup> rate. Timber. Sugar. Poplar.  
 Walnut. Buck. &c. Undergrowth Spice  
 March 26<sup>th</sup> 1824

- Not Between the 19 + 30  
 4. 84 A Red Oak 30 in. diam.  
 36. 50 A Brook 2 links wide. Course N. W.  
 40. 00 Met a gr. the Post from which  
 a B. Oak 10 in. diam. bears N 21 E 8 links dist.  
 to Hickory 5 " " " S 11 E 26 " "  
 46. 25 A Brook 10 links wide. Course N. W.  
 Crossed it 5 times afterwards.  
 57. 65 Intersect the E Bank of the St. Joseph's at  
 an Elm 3 in. diam. from which  
 a Water Buck 6 in. diam. bears S. 21 W 13 lks dist.  
 a Lynn 8 " " " S 49 E 49 " "  
 Land level 2<sup>nd</sup> rate. Timber. Oak. Hickory, &c.  
 no Undergrowth  
 March 23<sup>rd</sup> 1824  
 55. 58 To West Bank of the St. Joseph River where  
 an Ash 9 in. diam. bears S 53 W 39 links dist. &  
 a O 6 " " " N 31 E 10 " "  
 65. 29 A Lynn 20 in. diam.  
 66. 85 Line enters Creek S E  
 69. 35 Left the Creek  
 69. 54 Intersect the West Boundary 33 links South  
 of the Post.  
 A Sugar 15 in. diam. bears S 14 E 27 lks dist. &  
 a Lynn 8 " " " N 38 E 23 " "  
 Land 1<sup>st</sup> rate. Timber. Sugar Walnut Lynn  
 Buck &c. Underg<sup>th</sup> Spice &c. Mar. 26<sup>th</sup> 1824

## T 31 N. R 13 E 2nd Mer. Indiana.

West Between Secs 30 + 31  
 1. 97 A Red Oak 18 in diam.  
 40. 00 Set up Sec Post from which  
 a Burr Oak 10 in diam. bears N 6 E 45 links dist 4  
 a Maple 20 " " " S. 21 N. 22 " "  
 70 39 Intersect the West Boundary Chinks South of Post  
 from which  
 a Red Oak 21 in diam. bears N. 36 W. 36 links dist 4  
 a W Oak 12 " " " S. 68 E. 26 " "  
 Land 1<sup>st</sup> 1/2 mile met in places. Timber  
 Oak + Hickory. Sec. 3. rate. Last 1/2 dry.  
 Timber scarce. Undergrowth thick. Thorn  
 Hazle Sec. 2<sup>nd</sup> rate.  
 March 23. 1824

Meanders of the St. Josephs River in Secs.  
 19 + 30. Beginning at Post on the  
 Left Bank. in Range line. Thence up Stream.  
 Courses Distances Remarks.

N 8 E	5.00	
N 5 E	9.00	
N 28 E	3.00	
N 34 E	6.00	
N 43 E	8.00	
N 30 E	7.00	
N 23 1/2 E	2.88	Intersect line between Secs 19 + 30 Land 1 <sup>st</sup> rate sapling Timber W. Walnut Sugar. Buckeye & Underg <sup>th</sup> Spice + Thorn.

April 9<sup>th</sup> 1824

N 4 E	11.50	At 10. A Brook 18 links wide fr. N.
N 59 E	5.50	
N 30 E	5.00	
N 12 W	4.00	At 3.60 A Brook 3 links wide fr. N. E
N 27 W	11.00	

## T 31 N R 13 E Ind. Mer. Indiana

N 1 E 4.50

N 21 E 9.00

N 6 E 8.50

N 18 E 4.00

N 3 W 9.00

N 39 E 4.00

S 87 E 4.00

S 78 E 6.00

N 68 E 5.00

N 38 E 11.00

N 23 W 1.59 Intersect line between Sec. 18 & 19  
 being North Boundary of Reserve  
 Land. High & Dry. Private. Timber  
 Walnut. Sugar. Buckeye Ash. &c.  
 Undergrowth Hazle, Oak. &c.

Commencing at Right Bank at Post  
 between Sec. 18 & 19 Thence down Stream.

S 30 W 6.00

S 45 W 3.50

S 70 W 3.00

N 80 W 2.50

N 71 W 6.50

S 64 W 5.00 At 45 links A Brook 7 links fr. North

S 19 W 9.00

S 2 W 11.00

S 11 W 11.00

S 23 W 6.00

S 7 E 5.00

S 31 E 10.00

S 6 E 4.50

S 44 W 3.00

S 68 W 4.00

S 26 W 6.00 At 2.00 A Spring Branch 3 links  
 wide. N W

S 13 W 8.75 Intersect line between Sec. 19 & 30.



231

T 31 N. R. 13 E. Ind. Ma. Indiana

Land high & Dry 1<sup>st</sup> rate. Timber. Walnut  
Ash. Buckeye Sugar. Syc. &c. Underg<sup>th</sup>  
Grape vines & Spice.

Apr. 12<sup>th</sup> 1824

\$31 N. 6. 00

In Sec 30

\$42 N. 15. 00

\$23 1/2 N. 1. 93 Intersect the Range line at Post.  
Land dry 1<sup>st</sup> rate. Timber. Walnut. Ash  
Buckeye &c. Underg<sup>th</sup> Syc. &c.

April 13<sup>th</sup> 1824

Surveyed by  
Benj. J. Blythe D.S.

West Between Sections 6 & 7

3. 20 A Brook 8 links wide. Course South

26. 48 A W. Oak 14 in. diam.

36 50 Enter Swamp

40. 00 Set a q. Sec Post from which  
a Black Ash 6 in. diam. bears East 3.05 lks dist.  
& a Willow 1 1/2 " " " S 25 1/2 W 7 " "

42. 00 Leave the Swamp

57 51 An Elm 10 in. diam.

67 08 Intersect the West Boundary 8 ch. & 96 lks. dist. &  
of the Post.

Set a Post Cor. to Sec. 6 & 7 from which  
a W. Ash 4 in. diam. bears N 60 E. 8 lks. dist. &  
a Do 4 " " " S 44 1/2 E 21 " "

Land & Timber same as before.

South Between Sec. 7 & 8 to close on J. B. Rich-  
ardvilles Reserve

7. 00 A Brook 8 links wide. Course S.E.

26. 19 A W. Oak 8 1/4 in. diam.

40. 00 Set a q. Sec Post from which  
a Beech 8 in. diam. bears N. 60 E. 5 links dist. &

## T 31 N. R 13 E Ind. Mer. Indiana.

- 60.83 a W. Oak 16 in. diam. bears S 48° E 17 links dist.  
 A Beech 13 "  
 69.83 Intersect the Reserve line 32 ch. from  
 the N.W. Corner of J. B. Richard's  
 Reserve of 640 acres. where  
 a Hackberry 5 in. diam. bears South 1 link dist.  
 a W. Ash 20 " " " N. 33 E. 30 "  
 Land 1<sup>st</sup> water Timber W. Oak. Sugar,  
 W. Ash. Beech. &c

Surveyed by  
 William Brookfield  
 Dep. Surveyor

- West On S. boundary of Sec. 31  
 17.00 a Branch 8 lks. wide runs S.  
 36.78 a W. Oak 30 in. diam.  
 40.00 Set of Sec. post, from which  
 a Hickory 7 in. diam. bears S 42 E 33 lks. dist. &  
 a W. Oak 30 " " " N 42 W 40 " "  
 53.50 a Branch 3 lks. wide Course S. into Swamp  
 69.00 a W. Oak 12 in. diam.  
 70.55 intersected line between Range 12 & 13 East, at  
 Township Corner. March 18<sup>th</sup> 1844  
 Ruf<sup>m</sup>. J. P. Blythe, U. S.

I Certify that the foregoing transcript of the  
 Field Notes of Township No 31 North Range  
 No 13 East of the Ind. Mer in the State of Indiana  
 has been compared with the original Notes  
 in this Office and found to be correct  
 Surveyor General's Office  
 Cincinnati Oct 30<sup>th</sup> 1844

William Blythe  
 Sur. Genl.